



Onyx Luxe

Marble Collection

PORCELAIN TILES



Onyx Luxe - Pearl Breeze & Caramel

Onyx Luxe

Marble Collection

Onyx Luxe is a luxurious collection of large-format porcelain surfaces, inspired by the beauty of onyx marble. Featuring four exquisite vein-cut options in subtly different hues, each one capturing the unique depth and fluidity of onyx veining. Complementing these are classic white and black onyx surfaces, adding versatility and pairing options to the collection. With practical formats, including a Natural R10 finish, Onyx Luxe offers a range of installation possibilities, from feature walls to floors, making them ideal for both residential and commercial applications.

6 COLOURS | 5 SIZES | 2 FINISHES



Onyx Luxe
Almond

Face 1

Face 2

Face 3

Face 4



* SEE TECHNICAL SPECIFICATION TABLE A



Onyx Luxe - Caramel

Onyx Luxe
Caramel

Face 1

Face 2

Face 3

Face 4



* SEE TECHNICAL SPECIFICATION TABLE A



Onyx Luxe

Mint

Face 1

Face 2

Face 3

Face 4



* SEE TECHNICAL SPECIFICATION TABLE A



Onyx Luxe

Sage

Face 1

Face 2

Face 3

Face 4



* SEE TECHNICAL SPECIFICATION TABLE A



Onyx Luxe - Obsidian Glow


Onyx Luxe
Obsidian Glow

Face 1

Face 2

Face 3

Face 4



* SEE TECHNICAL SPECIFICATION TABLE A




Onyx Luxe
Pearl Breeze


Face 1



Face 2



Face 3



Face 4



Face 5



Face 6



* SEE TECHNICAL SPECIFICATION TABLE A

Colours



Almond



Caramel



Mint



Sage

Colours



Pearl Breeze







Obsidian Glow

Colours

COLOUR	FINISH	SIZE(MM)
Almond Caramel Mint Obsidian Glow Pearl Breeze Sage	Polished	1200 x 2800 x 6
Obsidian Glow Pearl Breeze	Polished	1200 x 2400 x 6
Almond Caramel Mint Obsidian Glow Pearl Breeze Sage	Polished	800 x 1800 x 9
Obsidian Glow Pearl Breeze	Polished	1200 x 1200 x 6
Almond Caramel Mint Obsidian Glow Pearl Breeze Sage	Natural R10	600 x 1200 x 9
Almond Caramel Mint Obsidian Glow Pearl Breeze Sage	Polished	600 x 1200 x 9
Obsidian Glow Pearl Breeze	Polished	600 x 1200 x 6
Luxuria Opal White Silver Onyx	Honed	600 x 1200 x 9
Brown Onyx Hazelnut Ivory Jade Onyx Oyster Rose Onyx	Natural	600 x 1200 x 9
Brown Onyx Hazelnut Ivory Jade Onyx Luxuria Opal White Oyster Rose Onyx Silver Onyx	Polished	600 x 1200 x 9
Luxuria Opal White Silver Onyx	Honed	600 x 1200 x 6
Brown Onyx Hazelnut Ivory Jade Onyx Oyster Rose Onyx	Natural	600 x 1200 x 6
Brown Onyx Hazelnut Ivory Jade Onyx Luxuria Opal White Oyster Rose Onyx Silver Onyx	Polished	600 x 1200 x 6
Bianco Grigio Onyx Perla	Natural	750 x 750 x 6
Bianco Ghiaccio Grigio Onyx Perla Persian Green Pink Profondo Noir Viola	Polished	750 x 750 x 6
Luxuria Opal White Silver Onyx	Honed	600 x 600 x 9
Brown Onyx Hazelnut Ivory Oyster	Natural	600 x 600 x 9
Brown Onyx Hazelnut Ivory Luxuria Opal White Oyster Silver Onyx	Polished	600 x 600 x 9
Brown Onyx Hazelnut Ivory Oyster	Natural	300 x 600 x 9
Brown Onyx Hazelnut Ivory Oyster	Polished	300 x 600 x 9



Size Guide (mm)





Onyx Luxe - Mint

Technical Details

SPECIFICATION	TEST METHODS	REQUIRED VALUE	VALUES
Length And Width	ISO 10545-2	± 0.6% Max	± 0.1% / ± 0.5mm
Thickness	ISO 10545-2	± 5% Max	± 3%
Linearity	ISO 10545-2	± 0.5% Max	± 0.1% / ± 0.5mm
Wedging	ISO 10545-2	± 0.6% Max	± 0.1% / ± 1mm
Warpage	ISO 10545-2	± 0.5% Max	± 0.2%
Water Absorbtion	ISO 10545-3	≤ 0.5%	Conforms
Deep Abrasion Resistance	ISO 10545-6	Volume ≤ 175mm ³	≥ 142mm ³
Coefficient Of Linear Thermal-Expansion	ISO 10545-8	On Request	On Request
Frost Resistance	ISO 10545-12	Must Not Produce Noticeable Alteration To Surface	Frost-Proof
Chemical Resistance	ISO 10545-13	Must Not Produce Noticable Signs Of Chemical Attack	Conforms
Stain Resistance	ISO 10545-14	Testing Method Available	Resistant To Stain
Friction Coefficient (Slipperiness)	DIN 51130	Test Method Available	Natural: R9

Environmental Certification



LEED® certification provides independent, third party verification that a building project meets the highest green building and performance measure. All certified projects receive a LEED® plaque, which is nationally recognised symbol demonstrating that a building is environmentally responsible, profitable and a healthy place to live and work. The environmental characteristics have been evaluated and found according to the requirements of content of recycled material for environmental assessment according to LEED® criteria. These products contribute to the increase in the LEED® rating of buildings where they are used.



The EU Ecolabel helps you identify products and services that have a reduced environmental impact throughout their life cycle, from the extraction of raw material through to production, use and disposal. Recognised throughout Europe, EU Ecolabel is a voluntary label promoting environmental excellence which can be trusted. Ecolabel certification applies to building products such as ceramic tiles for residential and public flooring and wall-covering. The commission in charge of the certification system measures the environmental impact caused by the entire productive cycle; in the case of ceramic tiles, the verification starts from raw material quarrying through to manufacturing, distribution, installation and their final disposal. Our factories conform and are certified by the European Community standard Ecolabel and the production process is in complete harmony with the Ecolabel certification.



GREENGUARD Certification ensures that a product meets stringent standards for minimal emissions of volatile organic compounds (VOCs) into indoor air. This program provides assurance that products designed for indoor use adhere to strict chemical emissions limits, fostering the creation of healthier interiors. Manufacturers with GREENGUARD Certification gain credibility for their sustainability claims, supported by empirical technical data from an unbiased third-party organisation. The GREENGUARD Certification Program instills confidence by ensuring that indoor products meet strict chemical emissions limits, contributing to the creation of healthier interior spaces. This empowers manufacturers to produce and customers to identify products with low chemical emissions, thereby supporting air quality and environmental well-being.



NSF® has facilitated the development of more than 75 standards and protocols for sanitary food equipment, and has certified thousands of products as safe to use in restaurant and commercial kitchen settings. NSF® food equipment standards include requirements for material safety, design, construction and product performance. The products conform to the requirements of NSF/ANSI Standard 51 – Food Equipment Materials. NSF/ANSI 51 establishes minimum public health and sanitation requirements for materials and finishes used in the manufacture of commercial foodservice equipment



An Environmental Product Declaration (EPD) is a concise document that transparently communicates the environmental performance of a product throughout its life cycle. It provides comprehensive information about the product's environmental impact, including aspects such as raw material extraction, production processes, energy consumption, and emissions. EPDs are based on standardised methodologies and enable consumers, businesses, and policymakers to make informed decisions by considering the environmental aspects of a product in a systematic and comparable way.

P O R C E L A I N T I L E S

North London Showroom
23 Temple Fortune Parade
Finchley Road
London NW11 0QS
020 3141 3337

www.porcelaintiles.co.uk

South London Showroom
88 High Street Wimbledon
London SW19 5EG
020 3141 3337

enquiry@porcelaintiles.co.uk